

f30 -

De 2000 FBM für Cross the Access System
Solomon - notes to General Hyman
§ 866

- Mojabi für Subsystem reglens
- notes to G.D. § 6694
Peter Syts

- FBM für the Access System Maintenance Sp.
- G.D. § 498

X38 Solomon

GTB Complex 30 ER

FDP (

~~FCS~~

Software Relays

→

SWre

fcass

640

U+works

Ward - case tabs -

Applications in JSC - X38

A-121-0083 P.C. MA 98
mod a

f30
all folders

W ✓

NIDS MA MEM WTB

1006-1000

M
psi
locks

lock

AA =
Mmm
locks

lock

0 + 2m

0	4200
25	3600
50	2500
75	1600
100	1100
125	520
150	290
175	180
200	130
225	99
250	79
275	65
300	54
325	46
350	39
375	34
400	30
425	26
450	24
475	21
500	19

1000
7900
3800
2200
180

150
3800
290

175
2200
180

200
1400
130

225
930
99

250
670
79

275
520
65

300
380
54

325
300
46

350
250
39

375
200
34

400
170
30

425
140
26

450
130
24

475
110
21

Amity

50-300m

90
2000
3100
}

48000
3100

40000
1200

16000
570

8400
300

4600
180

2700
120

1700
87

1200
63

840
47

610
35

460
27

350
21

270
17

220
14

180
11

150
9

②

300H

Convert Hz bucket - 1

100 lbs
@ 500m Hz
↓

11m

127

over

340m

13m

239

16m

300

Combine last cycle

50

4

660m

per
Stalk
over
per
per
bunch
per

260 mi

10 hrs @ 300 ft.
+ 500/hrs

500

340

117
m


100 hrs

6500

8500

Lower yield / same accuracy → small range of targets allowed
→ get not handled, sites.

0a/Q/0009 - ^{7x103} FC E2 +SSGN,



rent a bomb

